



SAFETY DATA SHEET

OCEANSIDE DETAILING PRODUCTS

INTERIOR CLEANER

DRAFT - EMERGENCY RESPONSE SERVICE PENDING

1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Oceanside Detailing Products Interior Cleaner
PRODUCT TYPE: Alkaline liquid cleaning compound
PRODUCT IDENTIFIER: Interior Cleaner
PRODUCT NUMBER: ODP-IC
RESPONSIBLE PARTY: Oceanside Detailing Products
ADDRESS: PO Box 229, Deep River, CT 06417
BUSINESS PHONE: 860-333-8675
WEBSITE: www.oceansidedetailingproducts.com
EMERGENCY PHONE: CHEMTREC - pending registration/authorization. Insert authorized emergency number before final commercial distribution.

2 - HAZARDS IDENTIFICATION



CLASSIFICATION OF SUBSTANCE/MIXTURE: Serious Eye Irritation (2); Specific Target Organ Toxicity, Single Exposure; Narcotic Effects (3)

SIGNAL WORD: WARNING!

HAZARD STATEMENTS: Causes serious eye irritation. May cause drowsiness or dizziness.

PREVENTION: Wash hands thoroughly after handling. Do not touch eyes. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapors / spray. Use only outdoors or in a well-ventilated area.

RESPONSE: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical help. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if you feel unwell.

STORAGE: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

DISPOSAL: Dispose of container and contents in accordance with local regulations.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT

C.A.S. NUMBER

Water	7732-18-5
Isopropyl Alcohol	67-63-0
Disodium Cocoamphodipropionate	68604-71-7

Percentages of ingredients are withheld as trade secret information in the source supplier SDS and are to be disclosed as necessary to authorized individuals.

4 - FIRST-AID MEASURES

BREATHING (INHALATION): Maintain adequate ventilation of work area. If signs of discomfort or irritation occur, remove to fresh air. If symptoms persist or if you feel unwell, get immediate medical attention.

SWALLOWING (INGESTION): DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention.

EYES: Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, seek medical attention.

SKIN (DERMAL): Flush skin and contaminated clothing with large amounts of fresh water. If irritation occurs, seek medical attention. Wash contaminated clothing before reuse.

5 - FIRE-FIGHTING MEASURES

FLASHPOINT: 120.2 degrees F (49 degrees C).

EXTINGUISHING MEDIA: Use a class B fire extinguisher of carbon dioxide, dry chemical, alcohol-resistant foam or halogenated agent types. Water fog and fine water spray types can be used as a backup.

SPECIAL FIRE FIGHTING PROCEDURES: Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.



SAFETY DATA SHEET

OCEANSIDE DETAILING PRODUCTS

INTERIOR CLEANER

UNUSUAL FIRE AND EXPLOSION HAZARDS:

None known.

FURTHER INFORMATION:

Product does not sustain combustion according to ASTM D4206.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL:

As recommended by local, state and federal authorities.

7 - HANDLING AND STORAGE

STORAGE:

Store in a cool, well-ventilated area. Avoid overheating or freezing. Keep container tightly closed and locked up when not in use. Do NOT store this product in an unmarked container.

HANDLING:

Maintain adequate ventilation of work area. Wear eye protection if product is likely to splash. Avoid breathing product mist and spray. Do NOT transfer this product to an unmarked container. Spilled material is slippery. Keep away from children.

ATTENTION:

Do NOT reuse empty container. Empty containers retain vapor and product residue, which can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:

Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:

Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES:

Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash. Keep away from children!

INGREDIENT	C.A.S. NUMBER	OSHA PEL
Water	7732-18-5	No limits established
Isopropyl Alcohol	67-63-0	400 ppm, 980 mg/m3
Disodium Cocoamphodipropionate	68604-71-7	No limits established

*When OSHA 8-hour TWA; STEL; and Ceiling PEL values are not established, NIOSH REL, ACGIH TLV, and AIHA WEEL values may be shown in that order, as indicated by the source SDS.

9 - PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR:

Colorless, transparent liquid. Lemon scented.

ODOR THRESHOLD:

N/A

pH:

9.5 - 11.5

MELTING POINT:

N/A

FREEZING POINT:

N/A

BOILING POINT:

210 degrees F.

BOILING POINT RANGE:

N/A

FLASHPOINT:

120.2 degrees F (49 degrees C). Does not sustain combustion.

EVAPORATION RATE:

N/A

FLAMMABILITY (solid/gas):

N/A

EXPLOSION LIMITS:

N/A

VAPOR PRESSURE:

N/A

VAPOR DENSITY (AIR=1):

Greater than 1.

SPECIFIC GRAVITY:

1.0

SOLUBILITY IN WATER:

Completely soluble.

PARTITION COEFFICIENT:

N/A

AUTO-IGNITION TEMPERATURE:

N/A

DECOMPOSITION TEMPERATURE:

N/A

VISCOSITY:

Water thin

10 - STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions.



SAFETY DATA SHEET

OCEANSIDE DETAILING PRODUCTS

INTERIOR CLEANER

INCOMPATIBILITY:

Do not mix with acids, strong oxidizers and other chemicals. Avoid heat, sparks or open flames.

HAZARDOUS DECOMPOSITION:

Carbon monoxide, carbon dioxide.

HAZARDOUS POLYMERIZATION:

This product is not known to polymerize.

11 - TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:

Absorption through skin and eyes. Ingestion. Inhalation.

LISTED CARCINOGEN:

None over 0.1%.

MEDICAL CONDITION AGGRAVATED:

May aggravate pre-existing dermatitis in people with sensitive skin.

INHALATION:

Inhaling significant amounts of undiluted product may cause irritation to the mouth, nose and respiratory system. Prolonged exposure may cause dizziness, nausea and drowsiness.

INGESTION:

Undiluted product may cause irritation to the mouth, esophagus and stomach if ingested. Ingesting large amounts of undiluted product may be harmful to health.

EYES:

Undiluted product can cause serious irritation and redness if not immediately flushed from the eyes.

SKIN (DERMAL):

Undiluted product may cause irritation and redness to the exposed area if not flushed from skin.

ACUTE TOXICITY (ORAL):

>5,000 mg/kg

ACUTE TOXICITY (DERMAL):

>5,000 mg/kg

ACUTE TOXICITY (INHALATION):

>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Acute toxicity values are supplier-reported mixture values determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6).

12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION:

N/A

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

As recommended by local, state and federal authorities.

14 - TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME:

Not regulated for domestic shipments according to 49 CFR 173.120(a) (3).

HAZARD CLASS:

N/A

UN/NA NUMBER:

N/A

PACKAGING GROUP:

N/A

IMDG PROPER SHIPPING NAME:

Not regulated for international shipment according to IMDG Code 2.3.1.3.1.

IMDG HAZARD CLASS / UN NUMBER / PACKING GROUP:

N/A

15 - REGULATIONS

OSHA HAZCOM:

Contents of this SDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

CALIFORNIA PROPOSITION 65:

WARNING: This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

PROP 65 INGREDIENT:

Methanol | CAS 67-56-1 | Listed 03/16/2012 (Developmental Toxicity)

16 - OTHER INFORMATION

NFPA HEALTH:

2

NFPA FLAMMABILITY:

0

NFPA REACTIVITY:

0

NFPA OTHER:

Alkali

OCEANSIDE PREPARATION DATE:

08/26/2026

PRIMARY SOURCE:

Simoniz USA, Inc. #1 Carpet & Upholstery Cleaner, S3900XXX.

SOURCE REVISION DATE:

03/18/2024

IMPORTANT DRAFT NOTE: This document is prepared for Oceanside Detailing Products using the source Simoniz SDS information. Insert the authorized emergency-response number before final distribution.