



SAFETY DATA SHEET

OCEANSIDE DETAILING PRODUCTS

PREMIUM TIRE SHINE

DRAFT - CHEMICAL EMERGENCY SERVICE ACTIVATION PENDING

1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Oceanside Detailing Products Premium Tire Shine
PRODUCT TYPE: Water Based Tire Dressing
PRODUCT NUMBER: ODP-TS
CONTROL NUMBER: ODP-TS
RESPONSIBLE PARTY: Oceanside Detailing Products
ADDRESS: PO Box 229, Deep River, CT 06417
BUSINESS PHONE: 860-333-8675
WEBSITE: oceansidedetailingproducts.com
EMERGENCY PHONE: CHEMTREC - pending registration/authorization. Insert authorized emergency number before final distribution.

2 - HAZARDS IDENTIFICATION



CLASSIFICATION OF SUBSTANCE/MIXTURE: Skin Irritation (3); Eye Irritation (2/2A)

SIGNAL WORD: WARNING!

HAZARD STATEMENT: Causes mild skin irritation. Causes serious eye irritation.

PREVENTION: Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

RESPONSE: If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If eye irritation persists, get medical advice/attention.

STORAGE: N/A

DISPOSAL: N/A

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	C.A.S. NUMBER
Water	7732-18-5
Polydimethylsiloxane Emulsion	Mixture
Odorless Mineral Spirits	64741-65-7
Acrylic Polymer	Mixture / Not Listed

Percentages of ingredients are withheld as trade secret information in the upstream supplier SDS. This information is to be disclosed as necessary to authorized individuals.

4 - FIRST-AID MEASURES

BREATHING (INHALATION): If signs of discomfort or irritation occur, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION): DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention.

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do, then continue rinsing. If eye irritation persists, get medical advice/attention.

SKIN (DERMAL): Flush skin and contaminated clothing with large amounts of fresh water. If irritation persists, consult a physician. Wash contaminated clothing before reuse.

Source note: the upstream Simoniz SDS appears to contain a misplaced sentence under the EYES line in Section 4; the eye-response wording above is taken from the same supplier SDS Section 2 hazard-response instructions.

5 - FIRE-FIGHTING MEASURES

FLASHPOINT: This product is non-flammable.

EXTINGUISHING MEDIA: Use extinguishing media suitable for materials already burning.



SAFETY DATA SHEET

OCEANSIDE DETAILING PRODUCTS

PREMIUM TIRE SHINE

SPECIAL FIRE FIGHTING PROCEDURES:

Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL:

As recommended by local, state and federal authorities.

7 - HANDLING AND STORAGE

STORAGE:

Store in a cool, well-ventilated area. Avoid overheating or freezing.

HANDLING:

Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:

Not usually needed. Vapors not normally harmful.

PROTECTIVE CLOTHING:

Special protection not usually needed. Wear eye protection if product is likely to splash.

ADDITIONAL MEASURES:

Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL / LIMIT
Water	7732-18-5	No limits established
Polydimethylsiloxane Emulsion	Mixture	No limits established
Odorless Mineral Spirits	64741-65-7	100 ppm TLV
Acrylic Polymer	Not listed	No limits established

9 - PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR:

Slightly viscous light blue liquid. Pleasantly scented.

ODOR THRESHOLD:

N/A

pH:

7.5-9.0

MELTING POINT:

210 degrees F (as reported by upstream supplier SDS).

FREEZING POINT:

N/A

BOILING POINT:

210 degrees F

BOILING POINT RANGE:

N/A

FLASHPOINT:

This product is non-flammable.

EVAPORATION RATE:

N/A

FLAMMABILITY (solid/gas):

N/A

EXPLOSION LIMITS:

N/A

VAPOR PRESSURE:

N/A

VAPOR DENSITY (AIR=1):

Greater than 1

SPECIFIC GRAVITY:

1.00

SOLUBILITY IN WATER:

Completely soluble

PARTITION COEFFICIENT:

N/A

AUTO-IGNITION TEMPERATURE:

N/A

DECOMPOSITION TEMPERATURE:

N/A

VISCOSITY:

Slight Body

10 - STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions.

HAZARDOUS DECOMPOSITION / POLYMERIZATION:

Upstream supplier SDS states this product is not known to polymerize.

INCOMPATIBILITY:

Do not mix with other chemicals.

11 - TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:

Ingestion. Not likely to be inhaled in dangerous amounts.



SAFETY DATA SHEET

OCEANSIDE DETAILING PRODUCTS

PREMIUM TIRE SHINE

LISTED CARCINOGEN:	None over 0.1%.
MEDICAL CONDITION AGGRAVATED:	May aggravate pre-existing dermatitis.
INHALATION:	Not likely to be inhaled in hazardous amounts. Maintain adequate ventilation in the work area.
INGESTION:	This material can cause irritation to the stomach and esophagus if ingested.
EYES:	May cause eye irritation.
SKIN (DERMAL):	Not likely to irritate. Prolonged exposure to undiluted product may cause irritation.
ACUTE TOXICITY (ORAL):	>2,000 mg/kg
ACUTE TOXICITY (DERMAL):	>2,000 mg/kg
ACUTE TOXICITY (INHALATION):	>20,000 ppm V (Gas), >20 mg/L (Vapor), >5 mg/L (Dust)

*Acute toxicity values were reported by the upstream supplier as determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6).

12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Not D.O.T. regulated.
HAZARD CLASS: N/A
UN/NA NUMBER: N/A
PACKAGING GROUP: N/A

15 - REGULATIONS

The upstream supplier SDS states that its contents comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

16 - OTHER INFORMATION

NFPA HEALTH: 1
NFPA FLAMMABILITY: 0
NFPA REACTIVITY: 0
NFPA OTHER: None
OCEANSIDE SDS PREPARATION DATE: 08/26/2026
SOURCE SDS: Simoniz USA, Inc. - Prism Water Based Tire Dressing, P3200XXX
SOURCE REVISION DATE: 05/13/2014

ADDITIONAL: This SDS has been prepared for Oceanside Detailing Products using the upstream supplier SDS information provided for the product. The chemical hazard, composition, physical-property, exposure, toxicology, transport and regulatory statements above are based on that source. Oceanside Detailing Products should obtain and review the current supplier SDS before issuing this document as final, and the authorized emergency-response telephone number must be inserted before commercial distribution.